

# WATER TRANSFER WORKING GROUP PROJECT DESCRIPTION

APPLICATION NO./COURT CLAIM NO. Court Claim Nos. 1651 & 1888		PROPOSED CHANGE: Additional Point of Diversion
APPLICANT NAME Selah-Moxee Irrigation District	CONTACT NAME Jim Davis	TELEPHONE NO. (509) 575-7501
WATER RIGHT HOLDER'S NAME (if different) Selah-Moxee Irrigation District		EMAIL jdavis@talbottlaw.com

DATE OF APPLICATION April 25, 2005	PRIORITY DATE June 26, 1887
---------------------------------------	--------------------------------

WATER SOURCE: Yakima River	CROP: Hops, Tree Fruit, Pasture & Misc.																																
INSTANTANEOUS QUANTITY SUBJECT TO CHANGE: <table style="margin-left: 40px; border-collapse: collapse;"> <thead> <tr> <th></th> <th>April</th> <th>May</th> <th>June</th> <th>July</th> <th>Aug.</th> <th>Sept.</th> <th>Oct.</th> </tr> </thead> <tbody> <tr> <td>Natural Flow</td> <td>10</td> <td>10</td> <td>10</td> <td>10</td> <td>10</td> <td>8</td> <td>6</td> </tr> <tr> <td>Warren Act</td> <td>1.4</td> <td>2.3</td> <td>3.1</td> <td>3</td> <td>3</td> <td>2.1</td> <td>1</td> </tr> <tr> <td></td> <td>11.4</td> <td>12.3</td> <td>13.1</td> <td>13</td> <td>13</td> <td>10.1</td> <td>7</td> </tr> </tbody> </table>		April	May	June	July	Aug.	Sept.	Oct.	Natural Flow	10	10	10	10	10	8	6	Warren Act	1.4	2.3	3.1	3	3	2.1	1		11.4	12.3	13.1	13	13	10.1	7	ANNUAL QUANTITY: 4,740.4 acre-feet
	April	May	June	July	Aug.	Sept.	Oct.																										
Natural Flow	10	10	10	10	10	8	6																										
Warren Act	1.4	2.3	3.1	3	3	2.1	1																										
	11.4	12.3	13.1	13	13	10.1	7																										
PERIOD OF USE: April 1 – October 31																																	
PLACE OF USE Before and after Change:  Service area of the Selah-Moxee Irrigation District There is no request for change in place of use.	PURPOSE OF USE Before and after Change:  Irrigation and incidental domestic supply which includes irrigation of lawns, gardens & landscaping																																
IRRIGATION METHOD: Sprinkler, Rill & Drip																																	

CONSUMPTIVE USE CALCULATION: This application is for change in point of diversion only, with use to be on the same land. Therefore, no consumptive use calculation is necessary
--

NARRATIVE DESCRIPTION OF PROJECT: SMID has filed a Petition for Order Pendente Lite requesting an additional point of diversion for water historically diverted from the washed out Moxee diversion and the temporary pumping plant in the ROZA wasteway. The additional point of diversion is at the East Selah diversion of the SMID. This upstream change in point of diversion has no effect on TWSA and will have minimal effect on the reach between the old diversion and the additional diversion due to the small quantity sought to be included in the change. Of the 40+ cfs and 14,740 acre-feet currently diverted at the existing diversion, only 4,740.4 acre-feet and up to 13.4 cfs is included in the proposed temporary change. During September and October (flip-flop) the maximum additional diversion at the proposed additional point of diversion would be 10 & 7 cfs respectively. When the ROZA power plant is not in operation, there is insufficient water at the pumping plant to pump water into the lower SMID canals.
---